

Month	Content/Course Expectations	Instruction <i>What instructional methods will be used to develop the skills and knowledge?</i>	Key Vocabulary	Assessment <i>What evidence (products and/or performances) is collected to establish that the Content and Skills have been learned?</i>	Resources <i>What materials, texts, videos, internet, software, or human resources support instruction?</i>	Notes
September	<p>Standard C1.1 Scientific Inquiry Science is a way of understanding nature. Scientific research may begin by generating new scientific questions that can be answered through replicable scientific investigations that are logically developed and conducted systematically. Scientific conclusions and explanations result from careful analysis of empirical evidence and the use of logical reasoning. Some questions in science are addressed through indirect rather than direct observation, evaluating the consistency of new evidence with results predicted by models of natural processes. Results from investigations are communicated in reports that are scrutinized through a peer review process.</p>	<p>Kitchen chemicals lab Element flashcards 1-56, 72-88 Density of pennies lab Minilab ethanol + water Minilab copper to gold Slime Safety symbols poster Lab equipment ID Physical & chemical properties lab Minilab paper chromatography Minilab iron in cereal</p>	<p>Chemistry Matter Mass Properties Scientific model Qualitative Quantitative Substance Mixture Physical change Physical properties Heterogeneous mixtures Homogeneous mixtures Solution Alloy Solute Solvent Aqueous solution Element Compound Formula</p>			

	<p>C1.1A Generate new questions that can be investigated in the laboratory or field.</p>					
	<p>C1.1B Evaluate the uncertainties or validity of scientific conclusions using an understanding of sources of measurement error, the challenges of controlling variables, accuracy of data analysis, logic of argument, logic of experimental design, and/or the dependence on underlying assumptions.</p>		<p>Volatile Density Volume Chemical properties Chemical changes Chemical reactions Law of conservation of mass Energy Exothermic reactions Endothermic reactions</p>			
	<p>C1.1C Conduct scientific investigations using appropriate tools and techniques (e.g., selecting an instrument that measures the desired quantity—length, volume, weight, time interval, temperature—with the appropriate level of precision).</p>					
	<p>C1.1E Describe a reason for a given conclusion using evidence from an investigation.</p>					
	<p>C1.1f Predict what would happen if the variables, methods, or timing of an investigation were changed.</p>					

	<p>C1.1h Design and conduct a systematic scientific investigation that tests a hypothesis. Draw conclusions from data presented in charts or tables.</p>					
	<p>Statement C1.2 Scientific Reflection and Social Implications The integrity of the scientific process depends on scientists and citizens understanding and respecting the “Nature of Science.” Openness to new ideas, skepticism, and honesty are attributes required for good scientific practice. Scientists must use logical reasoning during investigation design, analysis, conclusion, and communication. Science can produce critical insights on societal problems from a personal and local scale to a global scale. Science both aids in the development of technology and provides tools for assessing the costs, risks, and benefits of technological systems. Scientific conclusions and arguments play a role in personal choice and public policy decisions. New technology and scientific discoveries have had a major influence in shaping human history. Science and technology continue to offer diverse and significant career opportunities.</p>					
	<p>C1.2E Evaluate the future career and occupational prospects of science fields.</p>					

<p>C1.2h Describe the distinctions between scientific theories, laws, hypotheses, and observations.</p>					
<p>Statement C2.2 Molecules in Motion Molecules that compose matter are in constant motion (translational, rotational, and vibrational). Energy may be transferred from one object to another during collisions between molecules.</p>					
<p>C2.2A Describe conduction in terms of molecules bumping into each other to transfer energy. Explain why there is better conduction in solids and liquids than gases.</p>					
<p>C2.2B Describe the various states of matter in terms of the motion and arrangement of the molecules (atoms) making up the substance.</p>					
<p>Statement C3.3 Heating Impacts Heating increases the kinetic (translational, rotational, and vibrational) energy of the atoms composing elements and the molecules or ions composing compounds. As the kinetic (translational) energy of the atoms, molecules, or ions increases, the temperature of the matter increases. Heating a sample of a crystalline solid increases the kinetic (vibrational) energy of the atoms, molecules, or ions. When the kinetic (vibrational) energy becomes great enough, the crystalline structure breaks down, and the solid melts.</p>					

	<p>C3.3B Describe melting on a molecular level.</p>					
	<p>C5.2C Draw pictures to distinguish the relationships between atoms in physical and chemical changes.</p>					
	<p>Statement C3.4 Endothermic and Exothermic Reactions Chemical interactions either release energy to the environment (exothermic) or absorb energy from the environment (endothermic).</p>					
	<p>C3.4A Use the terms endothermic and exothermic correctly to describe chemical reactions in the laboratory.</p>					
	<p>C3.4B Explain why chemical reactions will either release or absorb energy.</p>					
	<p>Statement C4.4x Molecular Polarity The forces between molecules depend on the net polarity of the molecule as determined by shape of the molecule and the polarity of the bonds.</p>					
	<p>C4.4a Explain why at room temperature different compounds can exist in different phases.</p>					

	<p>Statement C4.7x Solutions The physical properties of a solution are determined by the concentration of solute.</p>					
--	--------------------------------------------------------------------------------------------------------------------------------------	--	--	--	--	--

Curriculum Map and Pacing

Grade:

Content Area:

Course:

Page: 2

Month	Content/Course Expectations	Instruction <i>What instructional methods will be used to develop the skills and knowledge?</i>	Key Vocabulary	Assessment <i>What evidence (products and/or performances) is collected to establish that the Content and Skills have been learned?</i>	Resources <i>What materials, texts, videos, internet, software, or human resources support instruction?</i>	Notes
October	<p>C1.2i Explain the progression of ideas and explanations that lead to science theories that are part of the current scientific consensus or core knowledge.</p>					
	<p>C1.2k Analyze how science and society interact from a historical, political, economic, or social perspective.</p>					

	<p>Statement C2.4x</p> <p>Electron Movement For each element, the arrangement of electrons surrounding the nucleus is unique. These electrons are found in different energy levels and can only move from a lower energy level (closer to nucleus) to a higher energy level (farther from nucleus) by absorbing energy in discrete packets. The energy content of the packets is directly proportional to the frequency of the radiation. These electron transitions will produce unique absorption spectra for each element. When the electron returns from an excited (high energy state) to a lower energy state, energy is emitted in only certain wavelengths of light, producing an emission spectra.</p>					
	<p>C2.4a Describe energy changes in flame tests of common elements in terms of the (characteristic) electron transitions.</p>					
	<p>C2.4b Contrast the mechanism of energy changes and the appearance of absorption and emission spectra.</p>					
	<p>C2.4c Explain why an atom can absorb only certain wavelengths of light.</p>					

C2.4d Compare various wavelengths of light (visible and nonvisible) in terms of frequency and relative energy.					
-------------------------------------------------------------------------------------------------------------------	--	--	--	--	--

Curriculum Map and Pacing

Grade:

Content Area:

Course:

Page: 3

Month	Content/Course Expectations	Instruction <i>What instructional methods will be used to develop the skills and knowledge?</i>	Key Vocabulary	Assessment <i>What evidence (products and/or performances) is collected to establish that the Content and Skills have been learned?</i>	Resources <i>materials, texts, videos, internet, software human resources</i>	Notes
November	<p>Statement C4.8 Atomic Structure Electrons, protons, and neutrons are parts of the atom and have measurable properties, including mass and, in the case of protons and electrons, charge. The nuclei of atoms are composed of protons and neutrons. A kind of force that is only evident at nuclear distances holds the particles of the nucleus together against the electrical repulsion between the protons.</p>	<p>Conservation of mass lab How Stuff Works internet Minilab isotope pennies Flame test demonstration</p>	<p>Atoms Atomic theory Law of definite proportions Lavoisier Proust Dalton Nutrient cycling Hypothesis Theory Scientific law Electrons Protons Neutrons Rutherford Thomson Atom size Atomic mass Isotopes</p>			

<p>C4.8A Identify the location, relative mass, and charge for electrons, protons, and neutrons.</p>		<p>Nucleus Atomic number Mass number Ultraviolet radiation Gamma rays</p>			
<p>C4.8B Describe the atom as mostly empty space with an extremely small, dense nucleus consisting of the protons and neutrons and an electron cloud surrounding the nucleus.</p>		<p>x-rays microwaves visible light infrared radiation radiowaves emission spectrum energy levels electron cloud model valence electrons</p>			
<p>C4.8C Recognize that protons repel each other and that a strong force needs to be present to keep the nucleus intact.</p>		<p>Lewis dot diagrams</p>			
<p>C4.8D Give the number of electrons and protons present if the fluoride ion has a -1 charge.</p>					

	<p>Statement C4.10 Neutral Atoms, Ions, and Isotopes</p> <p>A neutral atom of any element will contain the same number of protons and electrons. Ions are charged particles with an unequal number of protons and electrons. Isotopes are atoms of the same element with different numbers of neutrons and essentially the same chemical and physical properties.</p>					
	<p>C4.10A</p> <p>List the number of protons, neutrons, and electrons for any given ion or isotope.</p>					
	<p>C4.10B</p> <p>Recognize that an element always contains the same number of protons.</p>					
	<p>Statement C4.10x</p> <p>Average Atomic Mass</p> <p>The atomic mass listed on the periodic table is an average mass for all the different isotopes that exist, taking into account the percent and mass of each different isotope.</p>					
	<p>C4.10c</p> <p>Calculate the average atomic mass of an element given the percent abundance and mass of the individual isotopes.</p>					

	<p>C4.10d Predict which isotope will have the greatest abundance given the possible isotopes for an element and the average atomic mass in the periodic table.</p>					
	<p>C4.10e Write the symbol for an isotope, $X_Z A$, where Z is the atomic number, A is the mass number, and X is the symbol for the element.</p>					
	<p>Statement C5.5x</p> <p>Chemical Bonds Chemical bonds can be classified as ionic, covalent, and metallic. The properties of a compound depend on the types of bonds holding the atoms together.</p>					
	<p>C5.5c Draw Lewis structures for simple compounds.</p>					
	<p>C1.2C Develop an understanding of a scientific concept by accessing information from multiple sources. Evaluate the scientific accuracy and significance of the information.</p>					

	<p>Statement C4.9 Periodic Table In the periodic table, elements are arranged in order of increasing number of protons (called the atomic number). Vertical groups in the periodic table (families) have similar physical and chemical properties due to the same outer electron structures.</p>	<p>Outline historical development of the Periodic Table Minilab properties of mystery element Periodic table lab Element report Trends in groups 2 and 17 Element bingo</p>	<p>Periodicity Periodic law Period Group Noble gases Halogen Metals Transition elements Lanthanides Actinides Nonmetals Metalloids Semiconductors</p>			
	<p>C4.9A Identify elements with similar chemical and physical properties using the periodic table.</p>					
	<p>Statement C4.9x Electron Energy Levels The rows in the periodic table represent the main electron energy levels of the atom. Within each main energy level are sublevels that represent an orbital shape and orientation.</p>					
	<p>C4.9b Identify metals, non-metals, and metalloids using the periodic table.</p>					

Grade:

Content Area:

Course:

Page: 4

Month	Content/Course Expectations	Instruction <i>What instructional methods will be used to develop the skills and knowledge?</i>	Key Vocabulary	Assessment <i>What evidence (products and/or performances) is collected to establish that the Content and Skills have been learned?</i>	Resources <i>materials, texts, videos, internet, software human resources</i>	Notes
December	Statement C2.1x Chemical Potential Energy Potential energy is stored whenever work must be done to change the distance between two objects. The attraction between the two objects may be gravitational, electrostatic, magnetic, or strong force. Chemical potential energy is the result of electrostatic attractions between atoms.	Minilab iron versus rust Formation and decomposition of zinc iodide Ionic compounds models	Ion Ionic compound Ionic bond Crystal Covalent bond Covalent compound molecule			
	C2.1a Explain the changes in potential energy (due to electrostatic interactions) as a chemical bond forms and use this to explain why bond breaking always requires energy.					
	C2.1b Describe energy changes associated with chemical reactions in terms of bonds broken and formed (including intermolecular forces).					
	Statement C3.3x Bond Energy Chemical bonds possess potential (vibrational and rotational) energy.					

	<p>C3.3c Explain why it is necessary for a molecule to absorb energy in order to break a chemical bond.</p>					
	<p>Statement C4.3x Solids Solids can be classified as metallic, ionic, covalent, or network covalent. These different types of solids have different properties that depend on the particles and forces found in the solid.</p>					
	<p>C4.3h Explain properties of various solids such as malleability, conductivity, and melting point in terms of the solid's structure and bonding.</p>					
	<p>C2.1c Compare qualitatively the energy changes associated with melting various types of solids in terms of the types of forces between the particles in the solid.</p>					
	<p>C4.3i Explain why ionic solids have higher melting points than covalent solids. (For example, NaF has a melting point of 995°C while water has a melting point of 0° C.)</p>					
	<p>C5.5A Predict if the bonding between two atoms of different elements will be primarily ionic or covalent.</p>					

	<p>Statement C4.2x Nomenclature All molecular and ionic compounds have unique names that are determined systematically.</p>					
	<p>C4.2c Given a formula, name the compound.</p>					
	<p>Statement C4.2 Nomenclature All compounds have unique names that are determined systematically.</p>	<p>Minilab cobalt chloride Ionic or covalent lab Minilab calcium in bones</p>	<p>Binary compounds Formula unit Oxidation number Polyatomic ion Hydrate Hygroscopic Deliquescent Anhydrous Molecular substance</p>			
	<p>C4.2A Name simple binary compounds using their formulae.</p>		<p>Distillation Molecular element Diatomic element Allotropes Organic compound Inorganic compound</p>			
	<p>C4.2B Given the name, write the formula of simple binary compounds.</p>					

	C4.2d Given the name, write the formula of ionic and molecular compounds.					
	C4.3c Compare the relative strengths of forces between molecules based on the melting point and boiling point of the substances.					
	C4.3d Compare the strength of the forces of attraction between molecules of different elements. (For example, at room temperature, chlorine is a gas and iodine is a solid.)					
	C5.5B Predict the formula for binary compounds of main group elements.					

Curriculum Map and Pacing

Grade:

Content Area:

Course:

Page: 5

Month	Content/Course Expectations	Instruction <i>What instructional methods will be used to develop the skills and knowledge?</i>	Key Vocabulary	Assessment <i>What evidence (products and/or performances) is collected to establish that the Content and Skills have been learned?</i>	Resources <i>materials, texts, videos, internet, software human resources</i>	Notes
--------------	------------------------------------	-----------------------------------------------------------------------------------------------------------	-----------------------	---------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------	--------------

January	<p>C5.5d Compare the relative melting point, electrical and thermal conductivity, and hardness for ionic, metallic, and covalent compounds.</p>					
	<p>Statement C5.7</p> <p>Acids and Bases Acids and bases are important classes of chemicals that are recognized by easily observed properties in the laboratory. Acids and bases will neutralize each other. Acid formulas usually begin with hydrogen, and base formulas are a metal with a hydroxide ion. As the pH decreases, a solution becomes more acidic. A difference of one pH unit is a factor of 10 in hydrogen ion concentration.</p>					
	<p>C5.7A Recognize formulas for common inorganic acids, carboxylic acids, and bases formed from families I and II.</p>					
	<p>C5.7f Write balanced chemical equations for reactions between acids and bases and perform calculations with balanced equations.</p>					

<p>Statement C2.3x</p> <p>Breaking Chemical Bonds</p> <p>For molecules to react, they must collide with enough energy (activation energy) to break old chemical bonds before their atoms can be rearranged to form new substances.</p>					
<p>C2.3a</p> <p>Explain how the rate of a given chemical reaction is dependent on the temperature and the activation energy.</p>					
<p>Statement C5.r1x</p> <p>Rates of Reactions <i>(recommended)</i></p> <p>The rate of a chemical reaction will depend upon (1) concentration of reacting species, (2) temperature of reaction, (3) pressure if reactants are gases, and (4) nature of the reactants. A model of matter composed of tiny particles that are in constant motion is used to explain rates of chemical reactions. <i>(recommended)</i></p>					
<p>C5.r1a</p> <p>Predict how the rate of a chemical reaction will be influenced by changes in concentration, temperature, and pressure. <i>(recommended)</i></p>					

	<p>C5.r1b Explain how the rate of a reaction will depend on concentration, temperature, pressure, and nature of reactant. <i>(recommended)</i></p>					
	<p>Statement C5.2</p> <p>Chemical Changes Chemical changes can occur when two substances, elements, or compounds interact and produce one or more different substances whose physical and chemical properties are different from the interacting substances. When substances undergo chemical change, the number of atoms in the reactants is the same as the number of atoms in the products. This can be shown through simple balancing of chemical equations. Mass is conserved when substances undergo chemical change. The total mass of the interacting substances (reactants) is the same as the total mass of the substances produced (products).</p>					
	<p>C5.2A Balance simple chemical equations applying the conservation of matter.</p>					

	C5.2B Distinguish between chemical and physical changes in terms of the properties of the reactants and products.					
--	----------------------------------------------------------------------------------------------------------------------	--	--	--	--	--

Curriculum Map and Pacing

Grade:

Content Area:

Course:

Page: 6

Month	Content/Course Expectations	Instruction <i>What instructional methods will be used to develop the skills and knowledge?</i>	Key Vocabulary	Assessment <i>What evidence (products and/or performances) is collected to establish that the Content and Skills have been learned?</i>	Resources <i>materials, texts, videos, internet, software human resources</i>	Notes
February	Statement C5.3x Equilibrium Most chemical reactions reach a state of dynamic equilibrium where the rates of the forward and reverse reactions are equal.	Minilab energy change Exploring chemical changes lab Chemical reactions lab Minilab single displacement Minilab starch iodine clock reaction	Reactant Product Endothermic Exothermic Coefficient Synthesis Decomposition Single displacement Double displacement Combustion equilibrium			
	C5.3a Describe equilibrium shifts in a chemical system caused by changing conditions (Le Chatelier's Principle).		Dynamic equilibrium Le Chatelier's principle Soluble insoluble			

	C5.3b Predict shifts in a chemical system caused by changing conditions (Le Chatelier's Principle).		Activation energy Concentration Limiting reactant Catalyst Enzymes inhibitor			
	C5.3c Predict the extent reactants are converted to products using the value of the equilibrium constant.					
	Statement C5.6x Reduction/Oxidation Reactions Chemical reactions are classified according to the fundamental molecular or submolecular changes that occur. Reactions that involve electron transfer are known as oxidation/reduction (or "redox").					
	C5.6b Predict single replacement reactions.					
	C5.7B Predict products of an acid-based neutralization.					

	<p>Statement C5.7x</p> <p>Brønsted-Lowry</p> <p>Chemical reactions are classified according to the fundamental molecular or submolecular changes that occur. Reactions that involve proton transfer are known as acid/base reactions.</p>					
--	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	--	--	--

Curriculum Map and Pacing

Grade:

Content Area:

Course:

Page: 7

Month	Content/Course Expectations	Instruction <i>What instructional methods will be used to develop the skills and knowledge?</i>	Key Vocabulary	Assessment <i>What evidence (products and/or performances) is collected to establish that the Content and Skills have been learned?</i>	Resources <i>materials, texts, videos, internet, software human resources</i>	Notes

March	<p>Statement C4.8x Electron Configuration Electrons are arranged in main energy levels with sublevels that specify particular shapes and geometry. Orbitals represent a region of space in which an electron may be found with a high level of probability. Each defined orbital can hold two electrons, each with a specific spin orientation. The specific assignment of an electron to an orbital is determined by a set of 4 quantum numbers. Each element and, therefore, each position in the periodic table is defined by a unique set of quantum numbers.</p>	<p>Minilab flame tests Electron probability targets Metal reactions lab</p>	<p>Sublevels S orbitals P orbitals D orbitals F orbitals Heisenberg's uncertainty principle Probability Electron configuration</p>			
	<p>C4.8e Write the complete electron configuration of elements in the first four rows of the periodic table.</p>					
	<p>C4.8f Write kernel structures for main group elements.</p>					
	<p>C4.8g Predict oxidation states and bonding capacity for main group elements using their electron structure.</p>					

	C4.8h Describe the shape and orientation of <i>s</i> and <i>p</i> orbitals.					
	C4.8i Describe the fact that the electron location cannot be exactly determined at any given time.					
	C4.3f Identify the elements necessary for hydrogen bonding (N, O, F).					
	C4.9c Predict general trends in atomic radius, first ionization energy, and electronegativity of the elements using the periodic table.					
	Statement C3.2x Enthalpy Chemical reactions involve breaking bonds in reactants (endothermic) and forming new bonds in the products (exothermic). The enthalpy change for a chemical reaction will depend on the relative strengths of the bonds in the reactants and products.	Minilabs coffee filter chromatography Colors in candy lab Minilab modeling molecules	Electronegativity Shielding effect Malleable Ductile Conductivity Metallic bond Dipole-dipole bond Temporary dipole			
	C3.2b Describe the relative strength of single, double, and triple covalent bonds between nitrogen atoms.					

	<p>C4.4b Identify if a molecule is polar or nonpolar given a structural formula for the compound.</p>					
	<p>Statement C5.4x</p> <p>Changes of State All changes of state require energy. Changes in state that require energy involve breaking forces holding the particles together. The amount of energy will depend on the type of forces.</p>					
	<p>C5.4e Compare the melting point of covalent compounds based on the strength of IMFs (intermolecular forces).</p>					
	<p>C4.3g Given the structural formula of a compound, indicate all the intermolecular forces present (dispersion, dipolar, hydrogen bonding).</p>					
	<p>C5.5e Relate the melting point, hardness, and electrical and thermal conductivity of a substance to its structure.</p>					

Month	Content/Course Expectations	Instruction <i>What instructional methods will be used to develop the skills and knowledge?</i>	Key Vocabulary	Assessment <i>What evidence (products and/or performances) is collected to establish that the Content and Skills have been learned?</i>	Resources <i>materials, texts, videos, internet, software human resources</i>	Notes
April	<p>Statement C2.2x</p> <p>Molecular Entropy As temperature increases, the average kinetic energy and the entropy of the molecules in a sample increases.</p>	<p>Minilab vaporization rates of ethanol and hexane Molecules and energy lab</p>	<p>Solid Liquid Gas Brownian motion Kinetic theory Ideal gas Plasma Pressure Crystal lattice Liquid crystals</p>			
	<p>C2.2c Explain changes in pressure, volume, and temperature for gases using the kinetic molecular model.</p>		<p>Temperature Absolute zero Kelvin scale Diffusion evaporation</p>			
	<p>C2.2d Explain convection and the difference in transfer of thermal energy for solids, liquids, and gases using evidence that molecules are in constant motion.</p>		<p>Sublimation Condensation Vapor pressure Boiling point Heat of vaporization Heat of fusion Melting point Freezing point</p>			

<p>C3.3A Describe how heat is conducted in a solid.</p>					
<p>Statement C4.3</p> <p>Properties of Substances Differences in the physical and chemical properties of substances are explained by the arrangement of the atoms, ions, or molecules of the substances and by the strength of the forces of attraction between the atoms, ions, or molecules.</p>					
<p>C4.3A Recognize that substances that are solid at room temperature have stronger attractive forces than liquids at room temperature, which have stronger attractive forces than gases at room temperature.</p>					
<p>C4.3B Recognize that solids have a more ordered, regular arrangement of their particles than liquids and that liquids are more ordered than gases.</p>					
<p>C4.3e Predict whether the forces of attraction in a solid are primarily metallic, covalent, network covalent, or ionic based upon the elements' location on the periodic table.</p>					

	<p>Statement C3.4x</p> <p>Enthalpy and Entropy</p> <p>All chemical reactions involve rearrangement of the atoms. In an exothermic reaction, the products have less energy than the reactants. There are two natural driving forces: (1) toward minimum energy (enthalpy) and (2) toward maximum disorder (entropy).</p>		<p>Standard atmosphere Pascal Kilopascal Boyle's law Charles' law STP Law of combining gas volumes Avogadro's principle barometer</p>			
	<p>C3.4g</p> <p>Explain why gases are less soluble in warm water than cold water.</p>					
	<p>Statement C4.5x</p> <p>Ideal Gas Law</p> <p>The forces in gases are explained by the ideal gas law.</p>					
	<p>C4.5a</p> <p>Provide macroscopic examples, atomic and molecular explanations, and mathematical representations (graphs and equations) for the pressure-volume relationship in gases.</p>					
	<p>C4.5b</p> <p>Provide macroscopic examples, atomic and molecular explanations, and mathematical representations (graphs and equations) for the pressure-temperature relationship in gases.</p>					

	<p>C4.5c Provide macroscopic examples, atomic and molecular explanations, and mathematical representations (graphs and equations) for the temperature-volume relationship in gases.</p>					
	<p>Statement C4.1x Molecular and Empirical Formulae Compounds have a fixed percent elemental composition. For a compound, the empirical formula can be calculated from the percent composition or the mass of each element. To determine the molecular formula from the empirical formula, the molar mass of the substance must also be known.</p>	<p>Minilab determining number without counting Minilab measuring carbon dioxide gas Analyzing a mixture lab Make a mole</p>	<p>Stoichiometry Mole Avogadro's constant Molar mass Molecular mass Formula mass Ideal gas law Theoretical yield Actual yield % yield empirical formula</p>			
	<p>C4.1a Calculate the percent by weight of each element in a compound based on the compound formula.</p>					
	<p>C4.1b Calculate the empirical formula of a compound based on the percent by weight of each element in the compound.</p>					
	<p>C4.1c Use the empirical formula and molecular weight of a compound to determine the molecular formula.</p>					

	<p>Statement C4.6x</p> <p>Moles The mole is the standard unit for counting atomic and molecular particles in terms of common mass units.</p>					
	<p>C4.6a Calculate the number of moles of any compound or element given the mass of the substance.</p>					
	<p>C4.6b Calculate the number of particles of any compound or element given the mass of the substance.</p>					
	<p>Statement C5.2x</p> <p>Balancing Equations A balanced chemical equation will allow one to predict the amount of product formed.</p>					
	<p>C5.2d Calculate the mass of a particular compound formed from the masses of starting materials.</p>					
	<p>C5.2e Identify the limiting reagent when given the masses of more than one reactant.</p>					

	C5.2f Predict volumes of product gases using initial volumes of gases at the same temperature and pressure.					
	C5.2g Calculate the number of atoms present in a given mass of element.					

Curriculum Map and Pacing

Grade:

Content Area:

Course:

Page: 9

Month	Content/Course Expectations	Instruction <i>What instructional methods will be used to develop the skills and knowledge?</i>	Key Vocabulary	Assessment <i>What evidence (products and/or performances) is collected to establish that the Content and Skills have been learned?</i>	Resources <i>materials, texts, videos, internet, software human resources</i>	Notes
May	C4.7a Investigate the difference in the boiling point or freezing point of pure water and a salt solution.	Minilab drops on a penny Edible mixture lab Minilab hard and soft water Solution identification	Surface tension Capillarity Specific heat Unsaturated solution Saturated solution Supersaturated solution Dilute Molarity Colloid Tyndall effect reagent			

	C4.7b Compare the density of pure water to that of a sugar solution.		Colloids Emulsions Aerosols Gels			
	Statement C5.4 Phase Change/Diagrams Changes of state require a transfer of energy. Water has unusually high-energy changes associated with its changes of state.					
	C5.4A Compare the energy required to raise the temperature of one gram of aluminum and one gram of water the same number of degrees.					
	C5.4B Measure, plot, and interpret the graph of the temperature versus time of an ice-water mixture, under slow heating, through melting and boiling.					
	C5.4c Explain why both the melting point and boiling points for water are significantly higher than other small molecules of comparable mass (e.g., ammonia and methane).					
	C5.4d Explain why freezing is an exothermic change of state.					

	<p>C5.7C Describe tests that can be used to distinguish an acid from a base.</p>	<p>Minilab acid properties Household acids and bases lab Minilab antacids Tie dye</p>	<p>Acid Ionization Electrolytes Base Anhydrides Strong base Strong acid Weak acid Weak base pH scale indicators</p>			
	<p>C5.7D Classify various solutions as acidic or basic, given their pH.</p>					
	<p>C5.7g Calculate the pH from the hydronium ion or hydroxide ion concentration.</p>					
	<p>C5.7h Explain why sulfur oxides and nitrogen oxides contribute to acid rain.</p>					
	<p>C5.7E Explain why lakes with limestone or calcium carbonate experience less adverse effects from acid rain than lakes with granite beds.</p>	<p>Minilab acidic, basic or neutral Titration of vinegar lab</p>	<p>Salt Ionic equation Spectator ions Net ionic equation Buffer Titration Standard solutions</p>			

	C5.6a Balance half-reactions and describe them as oxidations or reductions.	Minilab corrosion of iron Minilab testing for alcohol by redox Copper atoms: oxidation and reduction lab	Redox Oxidation reduction			
	C5.6c Explain oxidation occurring when two different metals are in contact.					
	C5.6d Calculate the voltage for spontaneous redox reactions from the standard reduction potentials.	Minilab electrolysis of copper sulfate and batteries Minilab potential of lemons Oxidation-reduction and electrochemical cells lab	Electrical current Electrolysis Cathode Anode Electrolytic cell Cation Anion Potential difference Galvanic cells			
	C5.6e Identify the reactions occurring at the anode and cathode in an electrochemical cell.					
	C2.2e Compare the entropy of solids, liquids, and gases.					
	C2.2f Compare the average kinetic energy of the molecules in a metal object and a wood object at room temperature.					

<p>C2.3b Draw and analyze a diagram to show the activation energy for an exothermic reaction that is very slow at room temperature.</p>					
<p>Statement C3.1x Hess's Law For chemical reactions where the state and amounts of reactants and products are known, the amount of energy transferred will be the same regardless of the chemical pathway. This relationship is called Hess's law.</p>	<p>Minilab dissolving: exothermic or endothermic Energy content of some common food items Minilab heat in and out with bleach</p>	<p>Heat Law of conservation of energy Fossils fuels Calorie kilocalorie</p>			
<p>C3.1a Calculate the ΔH for a given reaction using Hess's Law.</p>					
<p>C3.1b Draw enthalpy diagrams for exothermic and endothermic reactions.</p>					
<p>C3.1c Calculate the ΔH for a chemical reaction using simple coffee cup calorimetry.</p>					
<p>C3.1d Calculate the amount of heat produced for a given mass of reactant from a balanced chemical equation.</p>					

	<p>C3.2a Describe the energy changes in photosynthesis and in the combustion of sugar in terms of bond breaking and bond making.</p>					
	<p>C3.4c Write chemical equations including the heat term as a part of equation or using ΔH notation.</p>					
	<p>C3.4d Draw enthalpy diagrams for reactants and products in endothermic and exothermic reactions.</p>					
	<p>C3.4e Predict if a chemical reaction is spontaneous given the enthalpy (ΔH) and entropy (ΔS) changes for the reaction using Gibb's Free Energy, $\Delta G = \Delta H - T\Delta S$ (Note: mathematical computation of ΔG is not required.)</p>					
	<p>C3.4f Explain why some endothermic reactions are spontaneous at room temperature.</p>					

<p>Statement C2.5x</p> <p>Nuclear Stability</p> <p>Nuclear stability is related to a decrease in potential energy when the nucleus forms from protons and neutrons. If the neutron/proton ratio is unstable, the element will undergo radioactive decay. The rate of decay is characteristic of each isotope; the time for half the parent nuclei to decay is called the half-life. Comparison of the parent/daughter nuclei can be used to determine the age of a sample. Heavier elements are formed from the fusion of lighter elements in the stars.</p>	<p>Radioactive decay lab Minilab radon detection Minilab nuclear fission chain reaction</p>	<p>Radioactivity Alpha particles Beta particles Gamma rays Half-life Nuclear reactor Nuclear fusion Deuterium tritium</p>			
<p>C2.5a</p> <p>Determine the age of materials using the ratio of stable and unstable isotopes of a particular type.</p>					
<p>C3.5x</p> <p>Mass Defect</p> <p>Nuclear reactions involve energy changes many times the magnitude of chemical changes. In chemical reactions matter is conserved, but in nuclear reactions a small loss in mass (mass defect) will account for the tremendous release of energy. The energy released in nuclear reactions can be calculated from the mass defect using $E = mc^2$.</p>					

	<p>C3.5a Explain why matter is not conserved in nuclear reactions.</p>					
	<p>C4.2e Given the formula for a simple hydrocarbon, draw and name the isomers.</p>					
	<p>Statement C5.8</p> <p>Carbon Chemistry The chemistry of carbon is important. Carbon atoms can bond to one another in chains, rings, and branching networks to form a variety of structures, including synthetic polymers, oils, and the large molecules essential to life.</p>	<p>Minilab saturated and unsaturated oils Identification of textile polymers lab Minilab when polymers meet water, diapers Minilab synthetic aroma</p>	<p>Saturated hydrocarbon Alkane Isomers Unsaturated hydrocarbon Alkene Alkyne Aromatic hydrocarbon s Fractional distillation Cracking Substituted hydrocarbon s Functional group</p>			
	<p>C5.8A Draw structural formulas for up to ten carbon chains of simple hydrocarbons.</p>		<p>Halogenated compound Alcohols Carboxylic acids Esters ethers</p>			

	C5.8B Draw isomers for simple hydrocarbons.		Ketones Aldehydes Amines Amides Monomers Polymers Condensation reactions Cross-linking Thermoplastic thermosetting			
	C5.8C Recognize that proteins, starches, and other large biological molecules are polymers.					

Curriculum Map and Pacing

Grade:

Content Area:

Course:

Page:10

Month	Content/Course Expectations	Instruction <i>What instructional methods will be used to develop the skills and knowledge?</i>	Key Vocabulary	Assessment <i>What evidence (product and/or performance), both formative and summative is collected?</i>	Resources <i>(materials, texts, video, internet, or human resources)</i>	Notes
June						
